According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020	SDS Number: 800001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
SECTION	1. IDENTIFICATION		
Produ	uct name	: Shell Corena S2	2 P 100
Produ	uct code	: 001D7779	
Manu	afacturer or supplier's	details	
Manu	ifacturer/Supplier	: Shell Oil Produ PO Box 4427 Houston TX 77 USA	
	Request omer Service	: (+1) 877-276-72 :	285
Spill I	rgency telephone num Information h Information	ber : 877-504-9351 : 877-242-7400	
	mmended use of the mmended use	chemical and restric : Compressor oil	

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with 29 CFR 1910.1200

Based on available data this substance / mixture does not meet the classification criteria.

GHS label elements Hazard pictograms :	No Hazard Symbol required
Signal word	No signal word
Hazard statements	PHYSICAL HAZARDS: Not classified as a physical hazard under GHS criteria. HEALTH HAZARDS: Not classified as a health hazard under GHS criteria. ENVIRONMENTAL HAZARDS: Not classified as an environmental hazard under GHS criteria.
Precautionary statements	Prevention: No precautionary phrases.
	Response: No precautionary phrases.
	Storage: No precautionary phrases.
	Disposal: No precautionary phrases.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:
1.4	04/17/2020	800001005838

Print Date: 04/18/2020 Date of last issue: 10/08/2019

Other hazards which do not result in classification

Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis.

Used oil may contain harmful impurities.

Not classified as flammable but will burn.

The classification of this material is based on OSHA HCS 2012 criteria.

Under normal conditions of use or in a foreseeable emergency, this product does not meet the definition of a hazardous chemical when evaluated according to the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

:

Chemical nature

Highly refined mineral oils and additives. The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

* contains one or more of the following CAS-numbers: 64742-53-6, 64742-54-7, 64742-55-8, 64742-56-9, 64742-65-0, 68037-01-4, 72623-86-0, 72623-87-1, 8042-47-5, 848301-69-9, 68649-12-7, 151006-60-9, 163149-28-8.

Hazardous components

Chemical name	Synonyms	CAS-No.	Concentration (% w/w)
Interchangeable low viscosity base oil (<20,5 cSt @40°C) *		Not Assigned	0 - 90
Alkylphenol	2,2',6,6'-tetra- tert-butyl-4,4'- methylenedi- phenol	118-82-1	< 3

SECTION 4. FIRST-AID MEASURES

If inhaled	:	No treatment necessary under normal conditions of use. If symptoms persist, obtain medical advice.
In case of skin contact	:	Remove contaminated clothing. Flush exposed area with wa- ter and follow by washing with soap if available. If persistent irritation occurs, obtain medical attention.
In case of eye contact	:	Flush eye with copious quantities of water. Remove contact lenses, if present and easy to do. Continue rinsing. If persistent irritation occurs, obtain medical attention.
If swallowed	:	In general no treatment is necessary unless large quantities are swallowed, however, get medical advice.
Most important symptoms and effects, both acute and delayed	:	Oil acne/folliculitis signs and symptoms may include formation of black pustules and spots on the skin of exposed areas. Ingestion may result in nausea, vomiting and/or diarrhoea.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Vers 1.4	sion	Revision Date: 04/17/2020		9S Number: 0001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
	Protect	ion of first-aiders	:		ng first aid, ensure that you are wearing the nal protective equipment according to the d surroundings.
	medica	on of any immediate I attention and special ent needed	:	Treat symptomati	cally.

SECTION 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media	:	Foam, water spray or fog. Dry chemical powder, carbon diox- ide, sand or earth may be used for small fires only.
Unsuitable extinguishing media	:	Do not use water in a jet.
Specific hazards during fire- fighting	:	Hazardous combustion products may include: A complex mixture of airborne solid and liquid particulates and gases (smoke). Carbon monoxide may be evolved if incomplete combustion occurs. Unidentified organic and inorganic compounds.
Specific extinguishing meth- ods	:	Use extinguishing measures that are appropriate to local cir- cumstances and the surrounding environment.
Special protective equipment for firefighters	:	Proper protective equipment including chemical resistant gloves are to be worn; chemical resistant suit is indicated if large contact with spilled product is expected. Self-Contained Breathing Apparatus must be worn when approaching a fire in a confined space. Select fire fighter's clothing approved to relevant Standards (e.g. Europe: EN469).

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec- tive equipment and emer- gency procedures	:	Avoid contact with skin and eyes.
Environmental precautions	:	Use appropriate containment to avoid environmental contami- nation. Prevent from spreading or entering drains, ditches or rivers by using sand, earth, or other appropriate barriers.
		Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	:	Slippery when spilt. Avoid accidents, clean up immediately. Prevent from spreading by making a barrier with sand, earth or other containment material. Reclaim liquid directly or in an absorbent. Soak up residue with an absorbent such as clay, sand or other

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020		lumber: 1005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
		sui	table material	and dispose of properly.
Ado	litional advice	se Fo	e Section 8 of t	selection of personal protective equipment his Safety Data Sheet. disposal of spilled material see Section 13 of Sheet.
SECTIO	N 7. HANDLING AND ST	ORAGE		
Tec	chnical measures	vaj Us se: ate	pours, mists or e the informations ssment of local	t ventilation if there is risk of inhalation of aerosols. on in this data sheet as input to a risk as- circumstances to help determine appropri- afe handling, storage and disposal of this
Adv	vice on safe handling	Av Wł wo Pro	oid inhaling va nen handling pi rrn and proper	or repeated contact with skin. bour and/or mists. roduct in drums, safety footwear should be nandling equipment should be used. of any contaminated rags or cleaning mate- revent fires.
Avo	idance of contact	: Str	ong oxidising a	agents.
Pro	duct Transfer			and bonding procedures should be used nsfer operations to avoid static accumulation.
	ther information on stor- e stability	pla	ice.	ghtly closed and in a cool, well-ventilated
		Sto	ore at ambient	temperature.
Pac	kaging material	ste		For containers or container linings, use mild ity polyethylene. al: PVC.
Cor	ntainer Advice			tainers should not be exposed to high tem- e of possible risk of distortion.

SECTION 8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parame- ters / Permissible concentration	Basis
Oil mist, mineral	Not Assigned	TWA (Mist)	5 mg/m3	OSHA Z-1
Oil mist, mineral		TWA (Inhal-	5 mg/m3	ACGIH
		able particu-	-	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:	Print Date: 04/18/2020
1.4	04/17/2020	800001005838	Date of last issue: 10/08/2019

late matter)				
		late matter)		

Biological occupational exposure limits

No biological limit allocated.

Monitoring Methods

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls. For some substances biological monitoring may also be appropriate.

Validated exposure measurement methods should be applied by a competent person and samples analysed by an accredited laboratory.

Examples of sources of recommended exposure measurement methods are given below or contact the supplier. Further national methods may be available.

National Institute of Occupational Safety and Health (NIOSH), USA: Manual of Analytical Methods http://www.cdc.gov/niosh/

Occupational Safety and Health Administration (OSHA), USA: Sampling and Analytical Methods http://www.osha.gov/

Health and Safety Executive (HSE), UK: Methods for the Determination of Hazardous Substances http://www.hse.gov.uk/

Institut für Arbeitsschutz Deutschen Gesetzlichen Unfallversicherung (IFA), Germany http://www.dguv.de/inhalt/index.jsp

L'Institut National de Recherche et de Securité, (INRS), France http://www.inrs.fr/accueil

Engineering measures	:	The level of protection and types of controls necessary will vary depending upon potential exposure conditions. Select controls based on a risk assessment of local circumstances. Appropriate measures include: Adequate ventilation to control airborne concentrations.
		Where material is heated, sprayed or mist formed, there is greater potential for airborne concentrations to be generated.
		General Information: Define procedures for safe handling and maintenance of controls. Educate and train workers in the hazards and control measures relevant to normal activities associated with this product. Ensure appropriate selection, testing and maintenance of equipment used to control exposure, e.g. personal protective equipment, local exhaust ventilation. Drain down system prior to equipment break-in or mainte- nance. Retain drain downs in sealed storage pending disposal or subsequent recycle. Always observe good personal hygiene measures, such as washing hands after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Discard con- taminated clothing and footwear that cannot be cleaned. Practice good housekeeping.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020	SDS Number: 800001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
Pe	rsonal protective equip	ment	
Re	spiratory protection	conditions of u In accordance tions should be If engineering tions to a level select respirate cific conditions Check with res Where air-filte priate combina Select a filter s	with good industrial hygiene practices, precau- e taken to avoid breathing of material. controls do not maintain airborne concentra- which is adequate to protect worker health, ory protection equipment suitable for the spe- s of use and meeting relevant legislation. spiratory protective equipment suppliers. ring respirators are suitable, select an appro- ation of mask and filter. suitable for the combination of organic gases nd particles [Type A/Type P boiling point
На	nd protection		
	Remarks	gloves approve US: F739) mar suitable chemi gloves Suitabil usage, e.g. fre sistance of glo glove suppliers Personal hygie Gloves must o gloves, hands cation of a nor For continuous through time o 480 minutes w short-term/spla recognize that may not be av time maybe ac and replaceme a good predict dependent on Glove thicknes	ontact with the product may occur the use of ed to relevant standards (e.g. Europe: EN374, de from the following materials may provide cal protection. PVC, neoprene or nitrile rubber lity and durability of a glove is dependent on quency and duration of contact, chemical re- ve material, dexterity. Always seek advice from s. Contaminated gloves should be replaced. ene is a key element of effective hand care. nly be worn on clean hands. After using should be washed and dried thoroughly. Appli- n-perfumed moisturizer is recommended. s contact we recommend gloves with break- f more than 240 minutes with preference for > there suitable gloves can be identified. For ash protection we recommend the same but suitable gloves offering this level of protection ailable and in this case a lower breakthrough ceptable so long as appropriate maintenance ent regimes are followed. Glove thickness is not or of glove resistance to a chemical as it is the exact composition of the glove material. as should be typically greater than 0.35 mm the glove make and model.
Eye	e protection		andled such that it could be splashed into eyes, wear is recommended.
Ski	in and body protection	work clothes.	n is not ordinarily required beyond standard tice to wear chemical resistant gloves.
Pro	ptective measures		ective equipment (PPE) should meet recom- nal standards. Check with PPE suppliers.
The	ermal hazards	: Not applicable	

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:
1.4	04/17/2020	800001005838

Print Date: 04/18/2020 Date of last issue: 10/08/2019

Environmental exposure controls

General advice : Take appropriate measures to fulfill the requirements of relevant environmental protection legislation. Avoid contamination of the environment by following advice given in Section 6. If necessary, prevent undissolved material from being discharged to waste water. Waste water should be treated in a municipal or industrial waste water treatment plant before discharge to surface water. Local guidelines on emission limits for volatile substances must be observed for the discharge of exhaust air containing vapour.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	:	Liquid at room temperature.
Colour	:	light brown
Odour	:	Slight hydrocarbon
Odour Threshold	:	Data not available
рН	:	Not applicable
pour point	:	-33 °C / -27 °F Method: ASTM D97
Initial boiling point and boiling range	:	> 280 °C / 536 °F estimated value(s)
Flash point	:	>= 205 °C / >= 401 °F
		Method: ASTM D92 (COC)
Evaporation rate	:	Data not available
Flammability (solid, gas)	:	Data not available
Upper explosion limit / upper flammability limit	:	Typical 10 %(V)
Lower explosion limit / Lower flammability limit	:	Typical 1 %(V)
Vapour pressure	:	< 0.5 Pa (20 °C / 68 °F)
		estimated value(s)
Relative vapour density	:	> 1 estimated value(s)
Relative density	:	0.899 (15 °C / 59 °F)

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Vers 1.4	ion	Revision Date: 04/17/2020		S Number: 001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
	Density		:	899 kg/m3 (15.0 Method: ASTM D	
	Solubili Wat	ty(ies) er solubility	:	negligible	
	Solu	bility in other solvents	:	Data not availabl	e
	Partition octanol	n coefficient: n- /water	:	log Pow: > 6 (based on inform	ation on similar products)
	Auto-ig	nition temperature	:	> 320 °C / 608 °F	
	Decom	position temperature	:	Data not availabl	е
	Viscosi Visc	ty osity, dynamic	:	Data not availabl	e
	Visc	osity, kinematic	:	100 mm2/s (40.0	°C / 104.0 °F)
				Method: ASTM D	0445
				9.2 mm2/s (100 °	°C / 212 °F)
				Method: ASTM D	0445
	Explosi	ve properties	:	Not classified	
	Oxidizir	ng properties	:	Data not availabl	e
	Conduc	tivity	:	This material is n	ot expected to be a static accumulator.

SECTION 10. STABILITY AND REACTIVITY

Reactivity	:	The product does not pose any further reactivity hazards in addition to those listed in the following sub-paragraph.
Chemical stability	:	Stable.
Possibility of hazardous reac- tions	:	Reacts with strong oxidising agents.
Conditions to avoid	:	Extremes of temperature and direct sunlight.
Incompatible materials	:	Strong oxidising agents.
Hazardous decomposition products	:	No decomposition if stored and applied as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

: Information given is based on data on the components and

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:	Print Date: 04/18/2020
1.4	04/17/2020	800001005838	Date of last issue: 10/08/2019

the toxicology of similar products.Unless indicated otherwise, the data presented is representative of the product as a whole, rather than for individual component(s).

Information on likely routes of exposure

Skin and eye contact are the primary routes of exposure although exposure may occur following accidental ingestion.

Acute toxicity

Product:	
Acute oral toxicity	 LD50 (rat): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.
Acute inhalation toxicity	: Remarks: Based on available data, the classification criteria are not met.
Acute dermal toxicity	 LD50 (Rabbit): > 5,000 mg/kg Remarks: Low toxicity: Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product:

Remarks: Slightly irritating to skin., Prolonged or repeated skin contact without proper cleaning can clog the pores of the skin resulting in disorders such as oil acne/folliculitis., Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Product:

Remarks: Slightly irritating to the eye., Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation

Product:

Remarks: Not a skin sensitiser. Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product:

: Remarks: Non mutagenic, Based on available data, the classification criteria are not met.

Carcinogenicity

Product:

Remarks: Not a carcinogen., Based on available data, the classification criteria are not met.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:	Print Date: 04/18/2020
1.4	04/17/2020	800001005838	Date of last issue: 10/08/2019

Remarks: Product contains mineral oils of types shown to be non-carcinogenic in animal skinpainting studies., Highly refined mineral oils are not classified as carcinogenic by the International Agency for Research on Cancer (IARC).

IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH	No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.
NTP	No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Product:

Remarks: Not a developmental toxicant., Does not impair fertility., Based on available data, the classification criteria are not met.

STOT - single exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

÷

STOT - repeated exposure

Product:

Remarks: Based on available data, the classification criteria are not met.

Aspiration toxicity

Product:

Not an aspiration hazard.

Further information

Product:

Remarks: Used oils may contain harmful impurities that have accumulated during use. The concentration of such impurities will depend on use and they may present risks to health and the environment on disposal., ALL used oil should be handled with caution and skin contact avoided

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:	Print [
1.4	04/17/2020	800001005838	Date of

Print Date: 04/18/2020 Date of last issue: 10/08/2019

as far as possible.

Remarks: Slightly irritating to respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Basis for assessment	:	Ecotoxicological data have not been determined specifically for this product. Information given is based on a knowledge of the components and the ecotoxicology of similar products. Unless indicated otherwise, the data presented is representa- tive of the product as a whole, rather than for individual com- ponent(s).(LL/EL/IL50 expressed as the nominal amount of product required to prepare aqueous test extract).
Ecotoxicity		
Product: Toxicity to fish (Acute toxici- ty)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to daphnia and other aquatic invertebrates (Acute toxicity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to algae (Acute tox- icity)	:	Remarks: LL/EL/IL50 > 100 mg/l Practically non toxic: Based on available data, the classification criteria are not met.
Toxicity to fish (Chronic tox- icity)	:	Remarks: Data not available
Toxicity to daphnia and other aquatic invertebrates (Chron- ic toxicity)	:	Remarks: Data not available
Toxicity to microorganisms (Acute toxicity)	:	Remarks: Data not available
Persistence and degradabilit	t y	
Product: Biodegradability	:	Remarks: Not readily biodegradable. Major constituents are inherently biodegradable, but contains components that may persist in the environment.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020		05 Number: 0001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019	
Bie	oaccumulative potential				
Pr	oduct:				
	baccumulation	:	Remarks: Contains components with the potential to bioac- cumulate.		
Мс	obility in soil				
Pr	oduct:				
Mo	bbility	:		under most environmental conditions. vill adsorb to soil particles and will not be	
			Remarks: Floats of	on water.	
Ot	her adverse effects				
Pr	oduct:				
	lditional ecological infor- ation	: Does not have ozone depletion potential, photo ozone creation potential or global warming pote Product is a mixture of non-volatile component be released to air in any significant quantities u conditions of use.		tential or global warming potential. Ire of non-volatile components, which will not in any significant quantities under normal	
			Poorly soluble mix Causes physical f	xture. ouling of aquatic organisms.	
			Mineral oil does not cause chronic toxicity to aquatic c isms at concentrations less than 1 mg/l.		
SECTIO	ON 13. DISPOSAL CONSI	DER	ATIONS		
	sposal methods				
Wa	aste from residues	:	toxicity and physic determine the pro ods in compliance	e if possible. ility of the waste generator to determine the cal properties of the material generated to per waste classification and disposal meth- with applicable regulations. to the environment, in drains or in water	
				ould not be allowed to contaminate soil or	

Contaminated packaging : Dispose in accordance with prevailing regulations, preferably to a recognized collector or contractor. The competence of the collector or contractor should be established beforehand. Disposal should be in accordance with applicable regional, national, and local laws and regulations.

ground water, or be disposed of into the environment. Waste, spills or used product is dangerous waste.

Local legislation

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version	Revision Date:	SDS Number:	Print Date: 04/18/2020
1.4	04/17/2020	800001005838	Date of last issue: 10/08/2019

SECTION 14. TRANSPORT INFORMATION

National Regulations

Remarks

US Department of Transportation Classification (49 CFR Parts 171-180)

Not regulated as a dangerous good

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied. MARPOL Annex 1 rules apply for bulk shipments by sea.

Special precautions for user

Remarks

: Special Precautions: Refer to Section 7, Handling & Storage, for special precautions which a user needs to be aware of or needs to comply with in connection with transport.

: Disposal should be in accordance with applicable regional,

national, and local laws and regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

*: This material does not contain any components with a CERCLA RQ., Shell classifies this material as an "oil" under the CERCLA Petroleum Exclusion, therefore releases to the environment are not reportable under CERCLA.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

Components	CAS-No.	Component TPQ (lbs)

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 311/312 Hazards	1 :	No SARA Hazards
----------------------	-----	-----------------

SARA 313	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis)
	reporting levels established by SARA Title III, Section 313.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020	SDS Number: 800001005838		Print Date: 04/18/2020 Date of last issue: 10/08/2019	
Clear	n Water Act				
The f 117.3	-	hemicals are listed	under the U.S. CleanWat	ter Act, Section 311, Table	
	Xylene, mixed iso Naphthalene	omers 1330-20 91-20-3	-7 0 0	%	
US S	tate Regulations				
Penn			axed heavy paraffinic Dewaxed	64742-65-0 64742-62-7	
	ornia Prop. 65 NING! This product co	ntains a chemical	known to the State of Cali	ifornia to cause cancer.	
The r	r regulations: egulatory information i s material.	s not intended to b	e comprehensive. Other i	regulations may apply	
The c		-	ed in the following inver ents listed or polymer exe		
TSCA	A	: All compon			
DSL		: All compon	ents listed.		

SECTION 16. OTHER INFORMATION

Further information

NFPA Rating (Health, Fire, Reac- 0, 1, 0 tivity)

Full text of other abbreviations

ACGIH	:	USA. ACGIH Threshold Limit Values (TLV)
OSHA Z-1	:	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	:	8-hour, time-weighted average
OSHA Z-1 / TWA	:	8-hour time weighted average
Abbreviations and Acronyms	:	The standard abbreviations and acronyms used in this docu- ment can be looked up in reference literature (e.g. scientific dictionaries) and/or websites.
		ACGIH = American Conference of Governmental Industrial Hygienists ADR = European Agreement concerning the International Carriage of Dangerous Goods by Road AICS = Australian Inventory of Chemical Substances ASTM = American Society for Testing and Materials BEL = Biological exposure limits BTEX = Benzene, Toluene, Ethylbenzene, Xylenes CAS = Chemical Abstracts Service

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020	SDS Number: 800001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
		800001005838 CEFIC = Europo CLP = Classific COC = Clevela DIN = Deutsche DMEL = Derive DNEL = Derive DSL = Canada EC = Europear EC50 = Effectiv ECETOC = Europe EINECS = The Chemical Subs EL50 = Effectiv ENCS = Japan Inventory EWC = Europe GHS = Globally Labelling of Ch IARC = Internat IC50 = Inhibitor IL50 = Inhibitor IMDG = Internat INV = Chinese IP346 = Institut determination of KECI = Korea B LC50 = Lethal L MARPOL = Inter NOEC/NOEL = served Effect L OE_HPV = Occ PBT = Persiste PICCS = Philip Substances PNEC = Predic REACH = Regi Chemicals RID = Regulatin gerous Goods I SKIN_DES = S STEL = Short t	Date of last issue: 10/08/2019 even Chemical Industry Council cation Packaging and Labelling nd Open-Cup es Institut fur Normung ed Minimal Effect Level d No Effect Level Domestic Substance List n Commission ve Concentration fifty ropean Center on Ecotoxicology and Toxicolo- ls ean Chemicals Agency European Inventory of Existing Commercial tances re Loading fifty ese Existing and New Chemical Substances an Waste Code y Harmonised System of Classification and emicals tional Agency for Research on Cancer tional Agency for Research on Sate y Level fifty tional Maritime Dangerous Goods Chemicals Inventory te of Petroleum test method N° 346 for the of polycyclic aromatics DMSO-extractables Existing Chemicals Inventory Concentration fifty Dose fifty per cent. nal Loading/Effective Loading/Inhibitory loading Loading fifty ernational Convention for the Prevention of Ships No Observed Effect Concentration / No Ob- evel cupational Exposure - High Production Volume nt, Bioaccumulative and Toxic pine Inventory of Chemicals and Chemical ted No Effect Concentration stration Evaluation And Authorisation Of ons Relating to International Carriage of Dan-
		TWA = Time-W	xic Substances Control Act /eighted Average ersistent and very Bioaccumulative

A vertical bar (|) in the left margin indicates an amendment from the previous version.

According to OSHA Hazard Communication Standard, 29 CFR 1910.1200

Shell Corena S2 P 100

Version 1.4	Revision Date: 04/17/2020		DS Number: 00001005838	Print Date: 04/18/2020 Date of last issue: 10/08/2019
	urces of key data used to npile the Safety Data eet	:	sources of inform Health Services,	are from, but not limited to, one or more ation (e.g. toxicological data from Shell material suppliers' data, CONCAWE, EU e, EC 1272 regulation, etc).
Re	vision Date	:	04/17/2020	

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

US / EN